

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Ms. Winsor on 7/21/2008.

The application has been amended as follows:

2. The following changes to the drawings have been approved by the examiner and agreed upon by applicant: Add to figure 1, a schematic illustration of a dashboard. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dennis H. Pedder whose telephone number is (571) 272-6667.

The examiner can normally be reached on 5:30-2:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn D. Dayoan can be reached on (571) 272-6659. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3612

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Dennis H. Pedder/
Primary Examiner, Art Unit 3612

Dennis H. Pedder
Primary Examiner
Art Unit 3612

DHP
7/21/2008